



Department of Planning

TECHNICAL BULLETIN

TB 0003 - May 2020

ACCESSIBLE PARKING STANDARDS

Purpose

The Department of Planning in an initiative to improve customer service has developed this Technical Bulletin to aid the in the design of buildings and structures.

Scope

Accessible parking shall be made available for all buildings as outlined in this Technical Bulletin.

Accessible Parking Standards

Minimum Width Parking Space

Accessible parking spaces shall be 8 feet minimum width, for access isle serving accessible parking space shall be 5 feet minimum width. (CIBC ref. to ANSI A117.1). Therefore, the minimum total width for an accessible parking space is 13 ft.

Note: Two adjoining handicap parking spaces can share a 5 ft. access isle.

Location of Accessible Parking Spaces

Accessible parking spaces shall be located on the shortest accessible route of travel from adjacent parking to an accessible building entrance. (CIBC 1104.5)

Minimum Number of Accessible Spaces

The required minimum number of accessible spaces is outlined in the table below

Total Spaces Provided	Min. Handicap Spaces
1 to 5	1*
6 to 25	1
26 to 50	2
51 to 75	3
76 to 100	4

101 to 150	5
151 to 200	6
201 to 300	7
301 to 400	8
401 to 500	9
501 to 1,000	2% of total
more than 1,000	20 plus 1 per 100 over 1,000

*The accessible space shall be provided but need not to be designated as reserved for physically disabled.

For additional information, please email the Department of Planning at info@planning.gov.ky or call (345) 244-6501 or visit our website at www.planning.ky.